- Scientific Publications No. 90. Lyon: International Agency for Research on Cancer, 1989:1-549
- 3. Spengler JD, Ozkaynak H, McCarthy JF, Lee H. Summary of symposium on health aspects of exposure to asbestos in buildings. Cambridge, MA:Energy and Environmental Policy Center, Harvard University, 1989.
- WHO. Occupational exposure limit for asbestos. Report No. 89.1. Geneva: World Health Organization, 1989.
- Bignon J, Saracci R, Touray JC, eds. Biopersistence of respirable synthetic fibers and minerals. IARC Scientific Publications No. Lyon: International Agency for Research on Cancer, 1992.
- International Commission on Occupational Health. Workshop on the health risks associated with chrysotile asbestos. Ann Occup Hyg (in press).
- 7. Asbestos, carcinogenicity, and public policy (letters). Science 248:797–802 (1990).
- 8. McDonald JC, McDonald AD. Asbestos and carcinogenecity (letter). Science 249:844 (1989).
- Langer AM, Nolan RP. Fibre type and burden in parenchymal tissues of workers occupationally exposed to asbestos in the United States. In: Non-occupational exposure to mineral fibre (Bignon J, Peto J, Saracci, R), eds. IARC Scientific Publication No. 90. Lyon: International Agency for Research on Cancer, 1990;330–335.
- Churg A, Wright JL, Vedal S. Fiber burden and patterns of asbestos-related disease in chrysotile miners and millers. Am Rev Respir Dis 148:25–31(1993).
- 11. Browne K. A threshold for asbestos-related lung cancer. Br J Ind Med 43:556-558 (1986).
- 12. Begin R, Masse S, Rola-Pleszczynski M, Boctor M, Drapeau G. Asbestos exposure dose—Broncho-alveolar milieu response in asbestos workers and the sheep model: evidences of a threshold for chrysotile-induced fibrosis. In: Asbestos Toxicity (Fisher GL, Gallo MA, eds). New York:Marcel Dekker, 1988:87-107.
- Ilgren EB, Browne K. Asbestos-related mesothelioma: evidence for a threshold in animals and humans. Regul Toxicol Pharmacol 13:116-132(1991).
- Health Effects Institute. Asbestos in public and commercial buildings: a literature review and synthesis of current knowledge. Cambridge, MA:Health Effects Institute, 1991;1-18.
- Heintz NH, Janssen YM, Mossman BT. Persistent induction of cfosand c-jun protooncogene expression by asbestos. Proc Natl Acad Sci USA 90:3299-3303(1993).
- Council on Scientific Affairs, American Medical Association. Asbestos removal, health hazards, and the EPA. J Am Med Assoc 255:696-697 (1991).
- 17. Whysner J, Kuschner M, Covello VT, Rifkind AB, Rozman KK, Rosenkranz HS, Trichopoulos D, Williams GM. Asbestos in the air of public buildings: a public health risk? Environmental Health and Safety Council of the American Health Foundation. Prev Med 23:119–125(1994).
- Greenberg M, Schwartz B. Asbestos: is removal best approach? Forum for Applied Research and Public Policy, 1990;82–86.
- 9. Abelson PH. The asbestos removal fiasco.

- Science 247:1017(1990).
- Statement of Linda J. Fisher, Office of Toxic Substances, EPA, before the Subcommittee on Health and Safety of the Committee on Education and Labor, US House of Representatives, 13 April 1990.

The Question of Balance

In a recent editorial, "Media and Science: Harmless Dioxin, Benign CFCs, and Good Asbestos" (EHP 102:10), David P. Rall decries the "mistakes in editorial policy and reporting" in science and medicine, and suggests "balancing controversial views in the same issue and to invite letters and commentary for publication in the same issue" of the journal in which the material is published. He dealt with "serious environmental concerns: dioxin, chlorofluorocarbons (CFCs), and asbestos."

In regard to the dioxin story in particular, Rall quoted from the Fingerhut (1) report that "workers exposed to dioxin for more than 2 years and observed for at least 20 years had a 46% greater cancer death rate than expected." This article was accompanied by an editorial which many newspapers quoted at the time of the report, and others did not, as Rall chose not to. The editorial, written by Bailar (2), notes that "Results are again equivocal. Parties on both sides of the continuing debate about the regulation of dioxin exposure will no doubt cite this work in support of their positions" (as I am doing, and as Rall did, by not citing the editorial). Bailar continues:

Some cancers were indeed more frequent in an exposed group than among controls, but the differences were for the most part not statistically significant, and the exceptions might be explained by a combination of small, unavoidable biases in the data and the multiple post hoc comparisons. (Examine enough data at the usual 5 percent level of significance and about 1 time in 20 you will find a statistically significant result where there is no real effect.)

The information is there, but depending on the reporter, the newspaper, or the scientist you will inevitably get a different story. Following the Fingerhut article, for example, one newspaper headline read "Chronic Dioxin Exposure ups Cancer Risk," another read "More Research into Dioxin Urged," and still another "The Deadliness of Dioxin Put in Doubt By New Data."

Rall also states that "A 10-year followup of those exposed to dioxin after the chemical explosion at Seveso in 1976, published in *Epidemiology* this summer, showed an increase in some cancers"(3). I believe Rall might have mentioned, for completeness sake, that the report also indicated that in one group of exposed individuals, there was a decrease in breast and uterine cancer, as was observed in a very balanced news report from the *New York Times* on 26 October 1993, by Keith Schneider.

More recently, the article by Davis et al. "Decreasing Cardiovascular Disease and Increasing Cancer among Whites in the United States from 1973 through 1987" in the Journal of the American Medical Association (4), was accompanied by an editorial (5) which was in part critical of the work, yet many media reports failed to recognize the criticism of the editorial, while others gave a very balanced report by using both the article and the editorial (in particular Jane Brody of the New York Times, 16 February 1994).

These examples indicate that scientific information is readily available, either in the publication itself, or in the now common practice of the concurrent editorial comment, and is more often critical of the publication than not. Concurrent letters to the editors are not necessary. Reporters, in my opinion, have a good understanding of what they read; it is what they choose to report that may be faulted.

For the various media, the old saying applies, namely good news is no news, bad news is good news, except, of course, if you have a bias, and bias is not limited to reporters. We scientists are full of it, too.

Stephen S. Sternberg

Memorial Sloan-Kettering Cancer Center

REFERENCES

- Fingerhut MA, Halperin WE, Marlow DA, Piacitelli LA, Honchar PA, Sweeney MH, Greife AL, Dill PA, Steenland K, Suruda AJ. Cancer mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. N Engl J Med 324:212–218 (1991).
- 2. Bailar JC III. How dangerous is dioxin? N Engl J Med 324:260-262 (1991).
- Bertazzi PA, Pesatori AC, Consonni D, Tironi A, Landi MT, Zocchetti C. Cancer incidence in a population accidentally exposed to 2,3,7,8-tetrachlorodibenzo-paradioxin. Epidemiology 4:398–406 (1993).
- 4. Davis DL, Dinse GE, Hoel DG. Decreased cardiovascular disease and increasing cancer among whites in the United States from 1973 through 1987. J Am Med Assoc 271:431–437 (1994)
- Miller AB. How do we interpret the "bad news" about cancer? J Am Med Assoc 271:468 (1994).

Regarding Bias

I was saddened to read Rall's editorial comment on the paper in *Science* entitled "Asbestos: Scientific Developments and implications for Public Policy" (1). He suggested the "industry association" of